

LED SMD Bulb G45 Series

Size chart



Packaging

① Corrugated Card Boxes




② 350g Color Boxes



③ Single Double Blister with Color Printed Cards



④ PVC Color Boxes



LED SMD G45 Series

MODEL NO.	SIZE D*L(MM)	LED CHIP #	RATED POWDER	INPUT VOLTAGE	TOTAL LUMEN	COLOR TEMP.	CRI	PF	BASE OPTION	PCS/CTN	CTN MEAS.(CM)
JSG45-S2	Φ45*82	4pcs	2W	AC165-275V	90lm/w	3000-6000K	70/80	0.5/0.9	E14/E26E2 7/B22	100	47.5*24*20.5
JSG45-S3	Φ45*82	6pcs	3W	AC165-275V	90lm/w	3000-6000K	70/80	0.5/0.9	E14/E26E2 7/B22	100	47.5*24*20.5
JSG45-S4	Φ45*82	8pcs	4W	AC165-275V	90lm/w	3000-6000K	70/80	0.5/0.9	E14/E26E2 7/B22	100	47.5*24*20.5
JSG45-S5	Φ45*82	10pcs	5W	AC165-275V	90lm/w	3000-6000K	70/80	0.5/0.9	E14/E26E2 7/B22	100	47.5*24*20.5
JSG45-S6	Φ45*82	12pcs	6W	AC165-275V	90lm/w	3000-6000K	70/80	0.5/0.9	E14/E26E2 7/B22	100	47.5*24*20.5



LED SMD Bulb A55/A60/A65/A75/A80 Series

LED SMD Bulb A55/A60/A65/A70/A80 Series

MODEL NO.	SIZE D*L(MM)	LED CHIP #	RATED POWDER	INPUT VOLTAGE	TOTAL LUMEN	COLOR TEMP.	CRI	PF	BASE OPTION	PCS/CTN	CTN MEAS.(CM)
JSA55-S3	Φ55*104	6pcs	3W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	575*290*255
JSA55-S5	Φ55*104	10pcs	5W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	575*290*255
JSA55-S7	Φ55*104	14pcs	7W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	575*290*255
JSA55-S9	Φ55*104	18pcs	9W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	575*290*255
JSA60-S3	Φ60*110	6pcs	3W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	625*315*265
JSA60-S5	Φ60*110	10pcs	5W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	625*315*265
JSA60-S7	Φ60*110	14pcs	7W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	625*315*265
JSA60-S9	Φ60*110	18pcs	9W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	625*315*265
JSA60-S10	Φ60*110	20pcs	10W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	625*315*265
JSA60-S12	Φ60*110	24pcs	12W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	625*315*265
JSA65-S11	Φ65*122	22pcs	11W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	675*340*285
JSA65-S12	Φ65*122	24pcs	12W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	675*340*285
JSA65-S14	Φ65*122	28pcs	14W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	100	675*340*285
JSA70-S11	Φ70*128	22pcs	11W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	50	375*370*300
JSA70-S13	Φ70*128	26pcs	12W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	50	375*370*300
JSA70-S15	Φ70*128	30pcs	15W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	50	375*370*300
JSA80-S12	Φ80*142	24pcs	12W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	50	425*420*330
JSA80-S14	Φ80*142	28pcs	14W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	50	425*420*330
JSA80-S16	Φ80*142	32pcs	16W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E26/E27/ B22	50	425*420*330

LED SMD Bulb G80/G95/G125 Series

Size chart

Packaging

- ① Corrugated Card Boxes
- ② 350g Color Boxes
- ③ Single/Double Blister with Color Printed Cards
- ④ PVC Color Boxes



3000K 4100K 6000K

Color Temperature

CE RoHS ERP

220-240V 25,000h 70/80 DIMMABLE 85-265V

E26 E27

LED SMD Bulb G80/G95/G125 Series

MODEL NO.	SIZE D*L(MM)	LED CHIP #	RATED POWDER	INPUT VOLTAGE	TOTAL LUMEN	COLOR TEMP.	CRI	PF	BASE OPTION	PCS/CTN	CTN MEAS.(MM)
JSG80-S10	Φ80*122	20pcs	10W	S:AC165-275V U:AC85-265V	90-100lm	3000-6000K	70/80	0.5/0.9	E26/E27/ B22	50	455*455*292
JSG80-S12	Φ80*122	24pcs	12W	S:AC165-275V U:AC85-265V	90-100lm	3000-6000K	70/80	0.5/0.9	E26/E27/ B22	50	455*455*292
JSG80-S14	Φ80*122	28pcs	14W	S:AC165-275V U:AC85-265V	90-100lm	3000-6000K	70/80	0.5/0.9	E26/E27/ B22	50	455*455*292
JSG95-S9	Φ95*140	18pcs	9W	S:AC165-275V U:AC85-265V	90-100lm	3000-6000K	70/80	0.5/0.9	E26/E27/ B22	50	530*530*340
JSG95-S12	Φ95*140	24pcs	12W	S:AC165-275V U:AC85-265V	90-100lm	3000-6000K	70/80	0.5/0.9	E26/E27/ B22	50	530*530*340
JSG95-S15	Φ95*140	30pcs	15W	S:AC165-275V U:AC85-265V	90-100lm	3000-6000K	70/80	0.5/0.9	E26/E27/ B22	50	530*530*340
JSG125-S13	Φ125*172	26pcs	13W	S:AC165-275V U:AC85-265V	90-100lm	3000-6000K	70/80	0.5/0.9	E26/E27/ B22	20	660*532*223
JSG125-S15	Φ125*172	30pcs	15W	S:AC165-275V U:AC85-265V	90-100lm	3000-6000K	70/80	0.5/0.9	E26/E27/ B22	20	660*532*223
JSG125-S18	Φ125*172	36pcs	18W	S:AC165-275V U:AC85-265V	90-100lm	3000-6000K	70/80	0.5/0.9	E26/E27/ B22	20	660*532*223

LED SMD Bulb High Output Series



LED SMD Bulb G80/G95/G125 Series

MODEL NO.	SIZE D*L(MM)	LED CHIP #	RATED POWDER	INPUT VOLTAGE	TOTAL LUMEN	COLOR TEMP.	CRI	PF	BASE OPTION	PCS/CTN	CTN MEAS.(MM)
JSG120-S24	Φ120*145	72pcs	24W	S:AC165-275V U:AC85-265V	2400L M	3000-6000K	80	0.5/0.9	E26/E27/ B22	20	660*532*223
JSG130-S36	Φ130*165	130pcs	36W	S:AC165-275V U:AC85-265V	3600L M	3000-6000K	80	0.5/0.9	E26/E27/ B22	20	660*532*223
JSG150-S48	Φ150*195	130pcs	48W	S:AC165-275V U:AC85-265V	4800L M	3000-6000K	80	0.5/0.9	E26/E27/ B22		

LED SMD Bulb C37/C37T Series

Size chart



Packaging

- ① Corrugated Card Boxes
- ② 350g Color Boxes
- ③ Single Double Blister with Color Printed Cards
- ④ PVC Color Boxes



3000K 4100K 6000K



Color Temperature



LED SMD Bulb C37/C37T Series

MODEL NO.	SIZE D*L(MM)	LED CHIP #	RATED POWDER	INPUT VOLTAGE	TOTAL LUMEN	COLOR TEMP.	CRI	PF	BASE OPTION	PCS/CTN	CTN MEAS.(MM)
JSC37-S2	Φ37*100	4pcs	2W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245
JSC37-S3	Φ37*100	6pcs	3W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245
JSC37-S4	Φ37*100	8pcs	4W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245
JSC37-S5	Φ37*100	10pcs	5W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245
JSC37-S6	Φ37*100	12pcs	6W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245
JSC37-S2	Φ37*125	4pcs	2W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245
JSC37-S3	Φ37*125	6pcs	3W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245
JSC37-S4	Φ37*125	8pcs	4W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245
JSC37-S5	Φ37*125	10pcs	5W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245
JSC37-S6	Φ37*125	12pcs	6W	S:AC165-275V U:AC85-265V	90- 100lm	3000- 6000K	70/80	0.5/0.9	E12/E14/E2 6/E27	100	395*200*245

LED SMD Bulb High Output Series

Size chart



Packaging



3000K 4100K 6000K

Color Temperature

CE RoHS ERP

220-240V 85-265V 25,000h 70V 80 DIMMABLE

E26 E27

LED SMD Bulb T Bulb Series

MODEL NO.	SIZE D*L(MM)	LED CHIP #	RATED POWDER	INPUT VOLTAGE	TOTAL LUMEN	COLOR TEMP.	CRI	PF	BASE OPTION	PCS/CTN	CTN MEAS.(MM)
-----------	--------------	------------	--------------	---------------	-------------	-------------	-----	----	-------------	---------	---------------

Plastic & Aluminum

JST80-S02	Φ80*149	40pcs	20W	S:AC165-275V U:AC85-265V	2000lm	3000-6000K	80	0.5/0.9	E26/E27	100	420*420*620
JST100-S03	Φ100*180	60pcs	30W	S:AC165-275V U:AC85-265V	3000lm	3000-6000K	80	0.5/0.9	E26/E27	50	520*520*400
JST120-S04	Φ118*209	80pcs	40W	S:AC165-275V U:AC85-265V	4000lm	3000-6000K	80	0.5/0.9	E26/E27	30	620*375*460
JST140-S05	Φ140*245	100pcs	50W	S:AC165-275V U:AC85-265V	5000lm	3000-6000K	80	0.5/0.9	E26/E27	20	720*440*530

Die-casting Aluminum

JST80-S02	Φ80*149	40pcs	20W	S:AC165-275V U:AC85-265V	2000lm	3000-6000K	80	0.5/0.9	E26/E27	100	420*420*620
JST100-S03	Φ100*180	60pcs	30W	S:AC165-275V U:AC85-265V	3000lm	3000-6000K	80	0.5/0.9	E26/E27	50	520*520*400
JST120-S04	Φ118*209	80pcs	40W	S:AC165-275V U:AC85-265V	4000lm	3000-6000K	80	0.5/0.9	E26/E27	30	620*375*460
JST120-S05	Φ118*209	100pcs	50W	S:AC165-275V U:AC85-265V	5000lm	3000-6000K	80	0.5/0.9	E26/E27	30	620*375*460
JST140-S06	Φ140*229	120pcs	60W	S:AC165-275V U:AC85-265V	6000lm	3000-6000K	80	0.9	E26/E27	20	720*440*530
JST150-S07	Φ150*259	140pcs	70W	S:AC165-275V U:AC85-265V	7000lm	3000-6000K	80	0.9	E26/E27	20	750*450*590
JST150-S08	Φ150*259	160pcs	80W	S:AC165-275V U:AC85-265V	8000lm	3000-6000K	80	0.9	E26/E27	20	750*450*590



LED SMD Bulb R Bulb Series

LED SMD Bulb R Bulb Series

MODEL NO.	SIZE D*L(MM)	LED CHIP #	RATED POWDER	INPUT VOLTAGE	TOTAL LUMEN	COLOR TEMP.	CRI	PF	BASE OPTION	PCS/CTN	CTN MEAS.(MM)
JSR39-S03	Φ39*67	6pcs 5730	3W	S:AC165-275V U:AC85-265V	300lm	3000-6000K	80	0.5/0.9	E14/E26/ E27	200	430*430*160
JSR50-S05	Φ50*84	10pcs 5730	5W	S:AC165-275V U:AC85-265V	500lm	3000-6000K	80	0.5/0.9	E14/E26/ E27	100	475*240*205
JSR63-S07	Φ63*100	14pcs 5730	7W	S:AC165-275V U:AC85-265V	700lm	3000-6000K	80	0.5/0.9	E14/E26/ E27	100	625*315*265
JSR63-S09	Φ63*100	18pcs 5730	9W	S:AC165-275V U:AC85-265V	900lm	3000-6000K	80	0.5/0.9	E14/E26/ E27	100	625*315*265
JSR80-S09	Φ80*110	18pcs 5730	9W	S:AC165-275V U:AC85-265V	900lm	3000-6000K	80	0.5/0.9	E14/E26/ E27	50	375*370*300
JSR80-S12	Φ80*110	24pcs 5730	12W	S:AC165-275V U:AC85-265V	1200lm	3000-6000K	80	0.5/0.9	E14/E26/ E27	50	375*370*300
JSR95-S12	Φ95*129	30pcs 5730	12W	S:AC165-275V U:AC85-265V	1200lm	3000-6000K	80	0.5/0.9	E14/E26/ E27	50	425*420*330